

ECRWSS
LOCAL POSTAL CUSTOMER

Presorted
Standard
U.S. Postage
PAID
Southfield, MI
Permit No. 30

CITY OF SOUTHFIELD

2025 CONSUMERS ANNUAL REPORT ON WATER QUALITY



Southfield
the center of it all™

CITY OF SOUTHFIELD 2025 CONSUMERS ANNUAL REPORT ON WATER QUALITY

ATTENTION: This is an important report on water quality and safety

The City of Southfield, The Southeastern Oakland County Water Authority (SOCWA) and the Great Lakes Water Authority (GLWA) are proud of the fine drinking water they supply and are honored to provide this report to you. The 2025 Consumers Annual Report on Water Quality shows the sources of our water, lists the results of our tests, and contains important information about water and health. We will notify you immediately if there is ever any reason for concern about our water. We are pleased to show you how we have surpassed water quality standards as mandated by the Environmental Protection Agency (EPA) and the Michigan Department of Environment, Great Lakes, and Energy (EGLE).

About the System

The City of Southfield purchases water from the Southeastern Oakland County Water Authority (SOCWA). SOCWA provides GLWA water through its member distribution systems to a population of 210,000 within a 56 square mile area. Current members are Berkley, Beverly Hills, Bingham Farms, Birmingham, Clawson, Huntington Woods, Lathrup Village, Pleasant Ridge, Royal Oak, Southfield, and Southfield Township.

Your source water comes from the Detroit River, situated within the Lake St. Clair, Clinton River, Detroit River, Rouge River, Ecorse River, watersheds in the U.S. and parts of the Thames River, Little River, Turkey Creek and Sydenham watersheds in Canada. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of GLWA's Detroit River source water for potential contamination. The susceptibility rating is based on a seven-tiered scale and ranges from very low to very high determined primarily using geologic sensitivity, water chemistry, and potential contaminant sources. The report described GLWA's Detroit River intakes as highly susceptible to potential contamination. GLWA's water treatment plants Northeast and Springwells that draw water from the Detroit River has historically provided satisfactory treatment and meets drinking water standards.

And/or

Your source water comes from the lower Lake Huron watershed. The watershed includes numerous short, seasonal streams that drain to Lake Huron. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of potential contamination. The susceptibility rating is a seven-tiered scale ranging from "very low" to "very high" based primarily on geologic sensitivity, water chemistry, and contaminant sources. The Lake Huron source water intake is categorized as having a moderately low susceptibility to potential contaminant sources. The Lake Huron water treatment plant has historically provided satisfactory treatment of this source water to meet drinking water standards.

GLWA has initiated source-water protection activities that include chemical containment, spill response, and a mercury reduction program. GLWA participates in the National Pollutant Discharge Elimination System permit discharge program and has an emergency response management plan. GLWA has an updated Surface Water Intake Protection plan for the Lake Huron water intake. The plan has seven elements that include: roles and duties of government units and water supply agencies, delineation of a source water protection areas, identification of potential sources of contamination, management approaches for protection, contingency plans, siting of new water sources, public participation, and public education activities.

If you would like to know more information about the

Source Water Assessment Report, please, contact **GLWA at (313) 926-8127**.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline 800-426-4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can dissolve naturally occurring minerals and, in some cases, radioactive materials, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharge, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in the water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

GLWA voluntarily monitors for *Cryptosporidium* and *Giardia* in our source water monthly. The untreated water samples collected from our Belle Isle Intake indicated the presence of one *Giardia* cyst in February 2025. All other samples collected from the Bell Isle Intake in 2025 were absent for the presence of *Cryptosporidium* and *Giardia*. Systems using surface water like GLWA must provide treatment so that 99.9 percent of *Giardia lamblia* and *Cryptosporidium* is removed or inactivated. GLWA's drinking water treatment process is designed to remove and inactivate these protozoans.

Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. Although filtration removes *Cryptosporidium*, the most commonly used filtration methods cannot guarantee 100 percent removal. Our monitoring indicates the presence of these organisms in our source water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of *Cryptosporidium* may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people, infants and small children, and the elderly are at greater risk of developing life threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. *Cryptosporidium* must be ingested to cause disease, and it may be spread through means other than drinking water.

Key to the Detected Contaminants Table

SYMBOL	ABBREVIATION	DEFINITION/EXPLANATION
AL	Action Level	The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.
°C	Celsius	A scale of temperature in which water freezes at 0° and boils at 100° under standard conditions.
>	Greater than	
HAA5	Haloacetic Acids	HAA5 is the total of bromoacetic, chloroacetic, Dibromoacetic, dichloroacetic, and trichloroacetic acids. Compliance is based on the total.
Level 1	Level 1 Assessment	A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in the water system.
LRAA	Locational Running Annual Average	The average of analytical results for samples at a particular monitoring location during the previous four quarters.
MCL	Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG	Maximum Contaminant Level Goal	The level of contaminant in drinking water below which there is no known or expected risk to health.
MRDL	Maximum Residual Disinfectant Level	The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MRDLG	Maximum Residual Disinfectant Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRLDG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.
n/a	not applicable	
ND	Not Detected	Below the detection limit of the method.
NTU	Nephelometric Turbidity Units	Measures the cloudiness of water.
pCi/L	Picocuries Per Liter	A measure of radioactivity.
ppb	Parts Per Billion (one in one billion)	The ppb is equivalent to micrograms per liter. A microgram = 1/1000 milligram.
ppm	Parts Per Million (one in one million)	The ppm is equivalent to milligrams per liter. A milligram = 1/1000 gram.
RAA	Running Annual Average	The average of analytical results for all samples during the previous four quarters.
SMCL	Secondary Maximum Contaminant Level	An MCL which involves a biological, chemical or physical characteristic of water that may adversely affect the taste, odor, color or appearance (aesthetics), which may thereby affect public confidence or acceptance of the drinking water.
TT	Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
TTHM	Total Trihalomethanes	Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromochloromethane and bromoform. Compliance is based on the total.
µmhos	Micromhos	Measure of electrical conductance of water
ng/L	Nanograms per liter	The ng/L is equivalent to nanogram per liter. A nanogram = 1/1,000,000 milligram.

2025 Springwells Regulated Detected Contaminants Table

2025 INORGANIC CHEMICALS - ANNUAL MONITORING AT PLANT FINISHED TAP								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	Feb 11 2025	ppm	4	4	0.48	n/a	No	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	Feb 11 2025	ppm	10	10	0.31	n/a	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

2025 DISINFECTION RESIDUAL - MONITORING IN THE DISTRIBUTION SYSTEM								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Chlorine Residual	2025	ppm	4	4	0.88	0.78-0.95	No	Water additive used to control microbes

2025 TURBIDITY - MONITORED EVERY 4 HOURS AT THE PLANT FINISHED WATER TAP			
Highest Single Measurement Cannot Exceed 1 NTU	Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)	Violation	Major Sources in Drinking Water
0.21 NTU	100%	No	Soil Runoff
Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.			

2025 SPECIAL MONITORING						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	Feb 11, 2025	ppm	n/a	n/a	5.4	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit
Total Organic Carbon	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Perfluorooctanoic acid (PFOA)	March 11, 2025	ng/L	4	2	ND-2	No	Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills.

These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2025 Springwells Tap Water Mineral Analysis

PARAMETER	UNITS	MAX.	MIN.	AVG.
Turbidity	N.T.U.	0.16	0.02	0.08
Total Solids	mg/L	172	41	130
Total Dissolved Solids	mg/L	145	75	117
Aluminum	mg/L	0.122	0.019	0.054
Iron	mg/L	0.3	ND	0.2
Copper	mg/L	0.001	ND	0.000
Magnesium	mg/L	8.6	6.9	7.6
Calcium	mg/L	28.5	24.3	26.4
Sodium	mg/L	6.1	0.4	3.4
Potassium	mg/L	1.2	0.9	1.0
Manganese	mg/L	ND	ND	0.000
Lead	mg/L	ND	ND	0.000
Zinc	mg/L	ND	ND	0.000
Silica	mg/L	2.6	1.3	1.8
Sulfate	mg/L	29.5	21.7	25.7
Chloride	mg/L	12.1	9.5	11.0

PARAMETER	UNITS	MAX.	MIN.	AVG.
Phosphorus	mg/L	1.07	0.77	0.89
Free Carbon Dioxide	mg/L	12.5	1.7	9.6
Total Hardness	mg/L	130	97	106
Total Alkalinity	mg/L	76	66	71
Carbonate Alkalinity	mg/L	0	0	0
Bi-Carbonate Alkalinity	mg/L	76	66	71
Non-Carbonate Hardness	mg/L	58	27	34
Chemical Oxygen Demand	mg/L	9.3	ND	2.6
Dissolved Oxygen	mg/L	13.0	7.0	10.1
Nitrite Nitrogen	mg/L	ND	ND	0.0
Nitrate Nitrogen	mg/L	0.47	0.22	0.30
Fluoride	mg/L	0.78	0.48	0.61
pH		7.92	7.05	7.21
Specific Conductance @ 25	µmhos	232	135	211
Temperature	°C	26.1	2.5	13.6

2025 Northeast Regulated Detected Contaminants Table

2025 INORGANIC CHEMICALS - ANNUAL MONITORING AT PLANT FINISHED TAP								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	Feb 11 2025	ppm	4	4	0.49	n/a	No	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	Feb 11 2025	ppm	10	10	0.29	n/a	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

2025 DISINFECTION RESIDUAL - MONITORING IN THE DISTRIBUTION SYSTEM								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Chlorine Residual	2025	ppm	4	4	0.95	0.81-1.05	No	Water additive used to control microbes

2025 TURBIDITY - MONITORED EVERY 4 HOURS AT THE PLANT FINISHED WATER TAP			
Highest Single Measurement Cannot Exceed 1 NTU	Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)	Violation	Major Sources in Drinking Water
0.09 NTU	100%	No	Soil Runoff
Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.			

2025 SPECIAL MONITORING						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	Feb 11, 2025	ppm	n/a	n/a	5.3	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit
Total Organic Carbon	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Perfluorooctanoic acid (PFOA)	March 11, 2025	ng/L	4	2	ND-2	No	Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills.

These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2025 Northeast Tap Water Mineral Analysis

PARAMETER	UNITS	MAX.	MIN.	AVG.
Turbidity	N.T.U.	0.09	0.04	0.07
Total Solids	mg/L	153	78	130
Total Dissolved Solids	mg/L	149	15	107
Aluminum	mg/L	0.109	0.020	0.046
Iron	mg/L	0.3	ND	0.2
Copper	mg/L	0.002	ND	0.001
Magnesium	mg/L	8.6	7.2	7.7
Calcium	mg/L	29.2	24.9	26.6
Sodium	mg/L	6.4	0.4	3.4
Potassium	mg/L	1.1	0.9	1.0
Manganese	mg/L	ND	ND	0.000
Lead	mg/L	ND	ND	0.000
Zinc	mg/L	0.001	ND	0.000
Silica	mg/L	4.0	1.2	2.0
Sulfate	mg/L	30.1	19.5	24.5
Chloride	mg/L	11.9	9.0	10.7

PARAMETER	UNITS	MAX.	MIN.	AVG.
Phosphorus	mg/L	0.94	0.68	0.81
Free Carbon Dioxide	mg/L	11.6	2.2	8.5
Total Hardness	mg/L	120	96	105
Total Alkalinity	mg/L	74	60	70
Carbonate Alkalinity	mg/L	0	0	0
Bi-Carbonate Alkalinity	mg/L	74	60	70
Non-Carbonate Hardness	mg/L	48	26	35
Chemical Oxygen Demand	mg/L	11.4	ND	2.8
Dissolved Oxygen	mg/L	15.5	4.4	8.3
Nitrite Nitrogen	mg/L	ND	ND	0.0
Nitrate Nitrogen	mg/L	0.44	0.21	0.31
Fluoride	mg/L	0.76	0.49	0.60
pH		7.81	7.07	7.24
Specific Conductance @ 25	µmhos	232	166	217
Temperature	°C	26.3	1.2	14.2

2025 Lake Huron Regulated Detected Contaminants Table

2025 INORGANIC CHEMICALS - ANNUAL MONITORING AT PLANT FINISHED TAP								
Regulated Contaminant	Test Date	Unit	Health Goal MCLG	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Fluoride	Feb 11 2025	ppm	4	4	0.58	n/a	No	Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate	Feb 11 2025	ppm	10	10	0.33	n/a	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

2025 DISINFECTION RESIDUAL - MONITORING IN THE DISTRIBUTION SYSTEM								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
Chlorine Residual	2025	ppm	4	4	1.02	0.92-1.07	No	Water additive used to control microbes

2025 TURBIDITY - MONITORED EVERY 4 HOURS AT THE PLANT FINISHED WATER TAP			
Highest Single Measurement Cannot Exceed 1 NTU	Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%)	Violation	Major Sources in Drinking Water
0.14 NTU	100%	No	Soil Runoff
Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.			

2025 SPECIAL MONITORING						
Contaminant	Test Date	Unit	MCLG	MCL	Highest Level Detected	Source of Contaminant
Sodium	Feb 11, 2025	ppm	n/a	n/a	4.8	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit
Total Organic Carbon	The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal.	Erosion of natural deposits

Regulated Contaminant	Test Date	Unit	Allowed Level MCL	Highest Level Detected	Range of Detection	Violation	Major Sources in Drinking Water
Perfluorooctanoic acid (PFOA)	March 11, 2025	ng/L	4	2	ND-2	No	Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills.

These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

2025 Lake Huron Tap Water Mineral Analysis

PARAMETER	UNITS	MAX.	MIN.	AVG.
Turbidity	N.T.U.	0.09	0.06	0.07
Total Solids	mg/L	155	36	124
Total Dissolved Solids	mg/L	140	77	112
Aluminum	mg/L	0.220	0.013	0.061
Iron	mg/L	0.3	ND	0.2
Copper	mg/L	0.003	ND	0.001
Magnesium	mg/L	8.4	7.1	7.7
Calcium	mg/L	28.6	23.3	26.2
Sodium	mg/L	5.4	0.4	3.1
Potassium	mg/L	1.1	0.9	1.0
Manganese	mg/L	0.001	ND	0.000
Lead	mg/L	ND	ND	0.000
Zinc	mg/L	0.019	ND	0.008
Silica	mg/L	3.6	1.3	2.1
Sulfate	mg/L	21.5	12.9	18.9
Chloride	mg/L	10.7	9.0	9.6

PARAMETER	UNITS	MAX.	MIN.	AVG.
Phosphorus	mg/L	0.94	0.65	0.79
Free Carbon Dioxide	mg/L	9.1	4.7	7.0
Total Hardness	mg/L	130	96	105
Total Alkalinity	mg/L	80	70	75
Carbonate Alkalinity	mg/L	0	0	0
Bi-Carbonate Alkalinity	mg/L	80	70	75
Non-Carbonate Hardness	mg/L	50	22	30
Chemical Oxygen Demand	mg/L	6.2	ND	2.7
Dissolved Oxygen	mg/L	10.9	7.5	9.6
Nitrite Nitrogen	mg/L	ND	ND	0.0
Nitrate Nitrogen	mg/L	0.38	0.22	0.33
Fluoride	mg/L	0.93	0.58	0.73
pH		7.50	7.20	7.34
Specific Conductance @ 25	µmhos	225	153	206
Temperature	°C	22.0	9.6	14.7

CITY OF SOUTHFIELD

2025 MICROBIOLOGICAL CONTAMINANTS - MONTHLY MONITORING IN DISTRIBUTION SYSTEM					
Regulated Contaminant	MCLG	MCL	Highest Number Detected	Violation Yes/No	Major Sources in Drinking Water
Total Coliform Bacteria	0	Presence of Coliform bacteria > 5% of monthly samples	0	No	Naturally present in the environment
E. Coli Bacteria	0	A routine sample and a repeat sample are total coliform positive, and one is also E.coli positive.	0	No	Sanitary defects

2025 DISINFECTION BY-PRODUCTS - STAGE 2 DISINFECTION BY-PRODUCTS MONITORING IN THE DISTRIBUTION SYSTEM								
Regulated Contaminant	Test Date	Unit	Health Goal MRDLG	Allowed Level MRDL	Highest Level RAA	Range of Quarterly Results	Violation	Major Sources in Drinking Water
(TTHM) Total Trihalomethanes	2025	ppb	n/a	80	31	11-51	No	By-product of drinking water chlorination
(HAA5) Haloacetic Acids	2025	ppb	n/a	60	21	7-34	No	By-product of drinking water chlorination

LEAD AND COPPER MONITORING AT THE CUSTOMER'S TAP IN 2025								
Regulated Contaminant	Unit	Year Sample	Health Goal MCLG	Action Level AL	90th Percentile Value*	Range of Individual Sample Results	Number of Samples Over AL	Major Sources in Drinking Water
Lead	ppb	2025	0	12	0	0-1	0	Lead services lines, corrosion of household plumbing including fittings and fixtures; Erosion of natural deposits.
Copper	ppm	2025	1.3	1.3	0.1	0.0-0.2	0	Corrosion of household plumbing systems; Erosion of natural deposits

*The 90th percentile value means 90 percent of the homes tested have lead and copper levels below the given 90th percentile value. If the 90th percentile value is above the AL additional requirements must be met.

2025 NUMBER OF WATER SERVICE CONNECTIONS BY SERVICE LINE MATERIAL		
Number of Lead Service Lines	Number of Service Lines of Unknown Material	Total Number of Service Lines
1	1,345	20,782

More Information about the community water system inventory can be found at: www.cityofsouthfield.com/departments/public-works/water-sewer



About Unregulated Contaminant Monitoring

Unregulated contaminants are those for which EPA has not established drinking water standards. Monitoring helps EPA to determine where these contaminants occur and whether it needs to regulate those contaminants.

In 2024 The City of Southfield participated in the Fifth Unregulated Contaminant Monitoring Rule. During this monitoring period 29 per - and polyfluoroalkyl substances and lithium were analyzed. For the four quarters of monitoring all 29 per - and polyfluoroalkyl substances and lithium sampling results reported as non-detect. All systems are required to report their data to the EPA. The analytical results from the UCMR are stored in the National Contaminant Occurrence Database for drinking water. For a summary of the UCMR results, please refer to the UCMR Occurrence Data webpage.

Important Information about your Drinking Water

Great Lakes Water Authority (GLWA) is required to notify water users of any unresolved significant deficiencies identified by the Michigan Department of Environment, Great Lakes, and Energy, Drinking Water and Environment Health Division (EGLE). Below is the status of significant deficiencies in the GLWA water system identified by EGLE:

Date Identified by EGLE	Description	Compliance Agreement Deadline	Status
08-02-2022	Improper rapid mixing and coagulant feed location at the Southwest water plant	12-31-2027	Coagulant feed was completed 12/11/2024. Rapid mix is in the design phase. On track to meet the deadline.
08-02-2022	Inoperable flocculation equipment at the Southwest water plant	07-31-2031	A contractor for the design portion of the project will be awarded shortly. On track to meet the deadline.
05-25-2022	Inoperable rapid mixing equipment at the Springwells 1930's water plant	12-31-2023	Completed in December 2023.
05-25-2022	Inoperable flocculation equipment at the 1958 Springwells water plant	11-11-2027	Phase I construction is completed as of December 2024. Phase II is under construction. On track to meet the deadline.

For more information, please contact GLWA Water Quality at waterquality@glwater.org

Important Health Information

Lead

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. The City of Southfield is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for at least 5 minutes to flush water from both your home plumbing and the lead service line. If you are concerned about lead in your water and wish to have your water tested, contact the City of Southfield (248) 769-4860 for available resources. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <https://www.epa.gov/safewater/lead>.

There is no safe level of lead in drinking water. Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. The children of persons who are exposed to lead before or during pregnancy can have increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney, or nervous system problems.

People with Special Health Concerns

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Questions:

- **Local Distribution:** City of Southfield (248) 769-4860
- **Southeastern Oakland County Water Supply System – Water Authority offices:** (248) 288-5150 | www.socwa.org
- **Great Lakes Water Authority:** www.glwater.org
- **Michigan Department of Environment, Great Lakes, and Energy (EGLE):** (586) 753-3755 | www.michigan.gov/egle
- **U.S. Environmental Protection Agency – Safe Drinking Water Hotline:** (800) 426-4791
- **Water quality data for community water systems throughout the United States is available at:** www.epa.gov/wqs-tech