

FILMING FIRE SAFETY

Fire Safety Officer (FSO) Requirement Guidelines for Film Production/Entertainment

When, in the opinion of the Fire Chief, Fire Marshal or designee, it is necessary for the preservation of life or property, due to the hazardous nature of a filming event, production, operation or function, a Fire Safety Officer shall be assigned to such event at the expense of the filming applicant. The following list is a guideline of when such assignment shall be designated.

1. Use of any amount of flammable or combustible liquids for a special effect, (e.g. mortar, fire ball, uncontrolled flame effect).
2. Any production that includes a live audience in a structure, including tents, not designed as assembly occupancy.
3. Any production that includes large numbers of 'extras' unfamiliar with sound stage or location.
4. Film production inside buildings not considered a legitimate sound stage or approved production facility.
5. Pyrotechnics use inside or outside of a structure.
6. Open flame inside a structure; e.g., stove, fireplace, candles.
7. Flame bars with propane or natural gas inside a structure.
8. Film production on City property.
9. Any other situation when, in the opinion of the Fire Marshal, it is necessary for the preservation of life or property, due to the hazardous nature of the event.

GENERAL CODE OF SAFE PRACTICES FOR PRODUCTION

This "*General Code of Safe Practices*" incorporates information from safety bulletins that have been developed and issued by the Industry-Wide Labor Management Safety Committee over the past 20 years. Many of these guidelines are simply common sense; others have evolved from Federal, State and/or Local laws and regulations.

These laws require every employer to have and post a general set of *Code of Safe Practices* at each job site.

This document is not intended to take the place of the Safety Bulletins. You should also refer to the Safety Bulletins (*index attached*), which address concerns specific to your work environment.

By following these guidelines, Safety Bulletins, laws, regulations and company policy and procedures, serious accidents and injuries can be prevented.

Working conditions may change from day to day, particularly on location. To prevent accidents, you need to be aware of your work environment and the equipment being used. Pay special attention to call sheets as they may contain important safety information for the next day's shoot. **Safety Meetings** will be conducted as necessary to brief you on potentially hazardous set conditions. (Additional information on "**Safety Awareness**" and "**Safety Meetings**" may be found in **Bulletin #5**)

If you have any questions or concerns, or notice anything you believe could be hazardous and/or unsafe to the cast and crew, please talk to your supervisor, unit production manager, producer, union

representative or studio safety representative and/or call the studio safety hotline anonymously. You will not be disciplined or discharged for bringing attention to safety concerns.

Each company is required to name the person responsible for safety on the production as outlined in their Injury and Illness Prevention Program (IIPP).

A production company or studio may have additional or specific guidelines as part of their IIPP. You should refer to the IIPP and Safety Manual of the employer for whom you are employed.

1. GENERAL RULES

Familiarize yourself with emergency procedures for each location. You are responsible for knowing how to react in an emergency situation. Contact your supervisor if you do not know emergency procedures.

At a minimum, a four-foot perimeter should be kept clear around the interior of the stage walls. Make sure all exit doors are unobstructed, unlocked and capable of being opened from the inside.

Good housekeeping should be maintained at all times. Walkways and work areas are to be kept clear of materials, trash, equipment and debris.

All decorative set materials should be flame retardant or made of non-combustible materials if such materials will be exposed to hot lamps, fire effects or other ignition sources.

Obey all "No Smoking" signs. Observe designated smoking areas and always extinguish cigarettes in the appropriate containers (butt cans).

Fire equipment (hydrants, extinguishers, sprinklers, hoses, etc.) must be accessible at all times.

Always be aware of personnel working above and below you. All overhead equipment fixtures and props should be properly secured.

All cables should be neatly routed. Cables in walkways and traffic areas should be covered with mats and/or cable crossovers.

Pranks and other types of horseplay are unacceptable. Distracting crewmembers could result in accidents and injuries.

Report accidents immediately to your leadman, foreman, supervisor, and/or medical personnel. Follow instructions given to you when referred for medical treatment for any injury and retain documentation. **All injuries must be reported on the date of occurrence.**

Wear appropriate clothing and any required personal protective equipment (PPE). A shirt and proper footwear should be worn at all times. Safety glasses or hearing protection must be worn when operating equipment or performing work where eye or ear damage could potentially occur.

Medication which might interfere with your alertness or ability to perform your work should be used only under a doctor's direction. If you feel that any medication is impairing your work, please discuss this with your supervisor. Do not work while under the influence of illegal drugs or

alcoholic beverages. Don't put yourself or your fellow workers at risk.

Attend all on-production, off-production and/or individual department **Safety Meetings**.

If involved in any stunt, special effect, aviation sequence, water sequence or other potentially hazardous or unusual activities, attend any additional **Safety Meetings** held for that activity.

Be aware of general location safety concerns, including extreme temperature conditions, physical surroundings, indigenous critters and nasty plants.

Additional information can be found in Industry Safety Bulletins #17, #21, #26, #27, #31, #34, #34A and #35.

2. LIFTING AND MOVING OBJECTS

Lifting loads improperly can cause back injuries.

Make sure you get the appropriate assistance when lifting or moving heavy or awkward objects. Avoid lifting such objects whenever possible by using carts, dollies and other mechanical devices or **GET ADEQUATE HELP**.

Before lifting any load, check for splinters, jagged edges, burrs, rough or slippery surfaces and protruding nails.

Check your intended path for obstructions.

3. COMMON FALL RISKS

Fall Protection:

Use appropriate fall protection equipment whenever you are working greater than 30 inches (general use/California) or 6 feet (during construction) above the floor, ground or other working area, when standard guardrails or other equivalent protection is not available.

Unprotected work areas such as platforms, sets, walkways, cliffs, floor openings, shafts and rooftops (when approaching within 6 feet of the roof's edge) require the use of approved fall protection measures. These measures include but are not limited to guardrails, barriers, safety net systems, a written fall protection plan, and/or the use of personal fall arrest, fall restraint, or work positioning systems.

Fall arrest equipment is always required when working in the permanent grid and truss system (perms) outside the catwalks and handrails.

DO NOT use fall protection equipment without proper training and instruction. Only use appropriate anchorage points.

Temporary stair railings and guardrails are required around elevated surfaces, pits, holes or other unprotected openings.

Ensure proper lighting in such areas and post signs as necessary.

Scaffolds:

Only use scaffolds with the appropriate guardrails, mid rails and toe boards. **DO NOT** remove guardrails; contact the scaffold "competent person" if they need to be

removed to perform special work. **REPORT** any missing guardrails at once.

DO NOT climb across braces.

Ladders:

Inspect all ladders before each use for broken or missing rungs, steps, split side rails or other defects.

NEVER place ladders in doorways unless protected by barricades or guards.

NEVER stand on the top two rungs of a ladder.

USE only approved ladders or steps. Check the labels for compliance.

ALWAYS USE both hands while climbing.

4. CHEMICALS AND FLAMMABLE MATERIALS

Store all flammable liquids in approved safety containers or cabinets. Paint, chemicals, and other materials should not accumulate on stage floors, under platforms or in other work areas.

You should know and follow proper handling and storage procedures for all combustible or flammable materials.

Ensure that there is proper ventilation and wear appropriate personal protective equipment (PPE).

A **Material Safety Data Sheet (MSDS)** shall be obtained from the manufacturer or distributor and a copy of the MSDS must be kept on file for all chemicals and substances being used and/or stored.

5. HAND TOOLS AND RELATED EQUIPMENT

Use the right tool for the job. **Do Not** use tools or equipment for which you have not been properly trained and qualified. See your supervisor if you are unfamiliar with the equipment, have any questions or feel that you need additional training.

Ensure that all equipment is in proper working order and that all protective guards are in place and used.

Do Not attempt to alter, modify, displace, or remove any existing safety equipment. Saw guards, safety switches and other safety mechanisms are installed for your protection. Tag ("**Do Not Use**") and report any damaged or malfunctioning equipment.

Wear appropriate personal protective equipment (PPE) and be aware of flying debris.

Additional information can be found in Industry Safety Bulletin #21.

6. FILMING EQUIPMENT & VEHICLES

(Including Booms, Camera & Insert Cars, Cranes, Process Trailers, Tow Dollies, Camera Dollies, Elevated Platforms, Fixed Wing Aircraft, Boats, Cars, Helicopters, Motorcycles, Trains)

Ratchet straps and/or ropes are the preferred method of securing loads and/or equipment. If using "bungees," "rubber snubbers" or other elastic-type devices, ensure they are not frayed, worn, damaged, cracked or have damaged or bent hooking devices. Uncontrolled release can cause severe injuries to unprotected body parts, particularly to the face or eyes.

Use the proper equipment for the job; be aware of load and rider capacities. **Never allow more than 9 people (including the driver) on an insert car.**

Operators and passengers of all vehicles should always use personal protective equipment (PPE).

Obtain training from a qualified instructor prior to operating aerial lift platforms, scissor lifts, forklifts or rough terrain variable-reach forklifts. OSHA requires the operators of such equipment to wear approved personal protective equipment (PPE).

Be particularly cautious when driving, walking or traveling; proceed slowly and watch for sudden movements of objects or individuals.

Be especially careful when working around helicopters or on runways. Remain at least 50 feet away from helicopters or other aircraft unless directed by the Aerial Coordinator and/or Pilot in Command or ground safety contact.

Under no circumstances should you approach the helicopter or aircraft without permission from the ground safety contact or the Pilot in Command.

Whether the rotors are turning or not, always approach and leave the helicopter from the front. **NEVER WALK NEAR OR AROUND THE TAIL ROTOR OF A HELICOPTER.**

The use of aircraft, boats, trains or cars may require special permits and/or operator certifications. All vehicles, including their peripheral safety equipment (*i.e.*, harnesses, belts, roll-cage, fuel cells, etc.), must undergo thorough safety inspection and testing on a daily basis by qualified experienced personnel.

Additional information can be found in Industry Safety Bulletins #3, #3A, #8, #8A, #8B, #8C, #11, #11A, #15, #20, #22, #28, #29, #29A, #36 and #37.

7. ELECTRICAL SAFETY

POWER LINES: California Code of Regulation, Title 8, Section 2946, Overhead Clearances, *must* be observed and maintained at all times (applicable regulations are set forth in Addendum #8C, #22A and #25A of the Industry Safety Bulletins). This applies to ladders, scaffolds, booms, forklifts, aerial lifts, scissor lifts, cranes, rigging, sets, truss work, backdrops and other equipment that could come in contact with power lines.

To prevent electrocutions and injury resulting from contact between overhead power lines and conductive tools, materials, or scaffolds, OSHA recommends that employees be informed that most overhead, high voltage power lines are not insulated and, when in doubt, employees should assume that power lines are not insulated.

Employers should notify the utility company when work must be performed under and/or near overhead power lines where clearances cannot be maintained. In such situations, utility companies should de-energize the power lines or temporarily move or cover them with insulating hoses or blankets before any work is initiated.

Properly maintain all electrical equipment and wiring; no live parts should be exposed. Use equipment only for its intended purpose. Be particularly careful around water, especially when filming in rain scenes.

All A.C. (alternating current) electrical systems shall be grounded.

Keep electric panels accessible at all times. There should be no obstructions or storage within three feet (3') of a panel.

Remember that lights placed too closely to props, sets and other materials may pose a fire risk and, therefore, make sure that lights are placed far enough away to alleviate risk.

Only qualified persons with the appropriate technical knowledge should perform electrical work.

Additional information can be found in Industry Safety Bulletins #8, #8A, #22, #22A, #23, #23A and 25.

8. WATER HAZARDS

If working on or near water, an employee should make the Production Company aware if he or she has a fear of working around water or cannot swim.

All cast and crewmembers working on or near water should wear life vests or other water safety gear when appropriate.

When using watercraft, be aware of load and rider capacity limits. Only required personnel should be on watercraft; all others should remain on land.

Safety lines, nets, watch safety personnel and/or divers should be used when filming in rivers or other bodies of water where potentially hazardous conditions could exist (e.g., swift currents, thick underwater plant life, or rocks).

Know as much as you can about the body of water you're working on or in, including its natural hazards and animal life. The Production Company, Location Manager or the Safety Coordinator should have all relevant information.

If personnel are going to enter the water, when appropriate, samples of the water should be taken and analyzed for any potential environmental concerns and/or health hazards.

Additional information can be found in Industry Safety Bulletins #7, #15 and #17.

9. STUNTS & SPECIAL EFFECTS

All stunts and special effects should be reviewed by all participants prior to execution to help ensure that they are performed in the safest manner possible.

Before filming a stunt or special effect, the involved parties should all perform an on-site dry run or walk-through. A safety meeting should be held and documented.

Special effects involving pyrotechnics, explosives and/or fire must be noted in advance on the call sheet. Properly licensed individuals must perform all such effects. The necessary permits must be obtained and the appropriate regulatory agencies notified. Explosives must be stored and disposed of properly.

Appropriate personal protection equipment (PPE) and/or other safety equipment must be provided to the cast and crew as needed. There must be a planned escape route and each person involved should personally check all escape routes. Only persons authorized

by the special effects and/or stunt coordinator shall be allowed in the area.

Radios, cell phones, pagers, personal data assistants (PDAs), transmitting equipment or remote control equipment should not be used around pyrotechnic or other explosive devices.

Additional information can be found in Industry Safety Bulletins #1, #2, #3A, #4, #11A, #14, #16, #18, #20, #29A, #30 and #37.

10. ARTIFICIALLY CREATED SMOKES, FOGS & DUST EFFECTS

Be aware that the use of atmosphere smoke has become highly regulated and limited by a variety of regulatory agencies. Contact the Safety Coordinator or Studio Safety Representative for guidelines and regulations.

Additional information can be found in Industry Safety Bulletin #10 and the Photographic Dust Awareness Sheet.

11. FIREARMS & OTHER WEAPONS

Treat all weapons as though they are loaded and/or ready to use. Do not play with weapons and **never** point one at anyone, including yourself. Follow the directions of the Property Master and/or Weapons Handler regarding all weapons.

The use of firearms and other weapons may require special permits and/or operator certifications. Anyone that will be using a weapon shall know all the operating features and safety devices. All weapons must undergo thorough safety inspection, testing and cleaning on a daily basis by qualified personnel.

Anyone handling a weapon shall receive the proper training and know all operating features and safety devices.

If firearms and other weapons are used in filming, the Property Master and/or Weapons Handler must meet with cast and crew and inform them of the safety precautions in effect and answer any questions.

Additional information can be found in Industry Safety Bulletins #1, #2, #16 and #30.

12. ANIMALS

Animals are unpredictable. If animals are used in filming, the Animal Handler should meet with cast and crew and inform them of the safety procedures in effect and answer any questions. Safety meetings should be held when appropriate.

Do not feed, pet or play with any animal without the permission and direct supervision of its trainer. **Defer to the animal trainers at all times.**

When working with exotic animals, the set should be closed and notices posted to that effect, including a note on the call sheet.

Additional information can be found in Industry Safety Bulletins #6, #12 and #31.

13. ENVIRONMENTAL CONCERNS

All hazardous waste generated by the company, including paint, must be disposed of properly. Proper documentation and permits for the

transportation and disposal of such waste is required by law.

Be aware of hazards associated with lead paint and asbestos. If encountered, **do not disturb** and immediately report to your supervisor or safety representative.

Be aware of biological hazards such as human or animal waste, mold, fungus, bacteria, body fluids, blood borne pathogens, used needles (sharps), vermin, insects and other potentially infectious materials.

Employees shall not enter confined spaces (manholes, underground vaults, chambers, silos, etc.) until the oxygen and gas levels have been checked and confirmed to be within acceptable levels.

Certain situations may require permits and/or licenses, for example, when the production will be using artificial smoke, large dust effects, creating excessive noise or when working around endangered plant or animal life. Please be sure to comply with all applicable statutes and/or regulations.

Additional information can be found in Industry Safety Bulletins #17, #24 and #26.

NOTE:

Additional information regarding "job specific" safe practices and guidelines relating to special equipment should be reviewed as necessary. Contact the production company Safety Coordinator, Studio Safety Representative, supervisor or your union representative for additional information.